


APR. 17. 2003 2:29PM

OBLON, SPIVAK

NO. 244

P. 1



Official



FACSIMILE

PLEASE CALL US AT (703) 413-3000 IF THE MESSAGE YOU RECEIVE IS INCOMPLETE OR NOT LEGIBLE

ATTORNEYS AT LAW

1940 DUKE STREET
ALEXANDRIA, VIRGINIA 22314
USA

(703) 413-3000
(703) 413-2220 FACSIMILE

OBLONPAT@OBLON.COM

PATENT, TRADEMARK AND COPYRIGHT LAW
AND RELATED FEDERAL AND ITC LITIGATION

WWW.OBLON.COM

TO

Examiner Mylinh T. Tran
Group Art Unit 2174

NAME

U.S.P.T.O.

COMPANY/FIRM

NUMBER OF PAGES INCLUDING COVER: 3

DATE

4-17-03

FAX #

(703) 746-7240

CONFIRM FAX: ☐ YES ☐ NO

FROM

Surlinder Sachar

NAME

(703) 413-3000

DIRECT PHONE #

5244-0092-2

OUR REFERENCE

Serial # 09/311,148

YOUR REFERENCE

MESSAGE

Proposed claims for interview.

Unless otherwise indicated or obvious from the nature of the transmittal, the information contained in this facsimile message is attorney privileged and confidential information intended for the use of the individual or entity named above. If the reader of this message is not the intended recipient or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error or are not sure whether it is privileged, please immediately notify us by telephone and return the original message to us at the above address via the U.S. Postal Service at our Expense. Thank You.

Received from < > at 4/17/03 2:30:37 PM [Eastern Daylight Time]

Docket No.: 5244-0092-2

Proposed Claims For Int.- Do Not Enter

Marked-Up Copy
Serial No: 09/311,148
Amendment Filed on: HERewith

OfficialIN THE CLAIMS

Please amend Claims 1, 8, 15, and 22 as follows:

1. (Three Times Amended) A system comprising:

an interface of a target application, the interface comprising a plurality of operations to be selected by a user;

a monitoring unit configured to directly monitor user selections of the plurality of operations of the interface by the user automatically upon start-up of the target application, and to generate a log of the monitored data, the log indicating the selections of the plurality of operations by the user;

a communicating device configured to communicate the log of the monitored data to a remote site.

8. (Three Times Amended) A system comprising:

interface means of a target application means, the interface means for providing a plurality of operations to be selected by a user;

monitoring means for directly monitoring user selections of the plurality of operations of the interface means by the user automatically upon start-up of the target application, and for generating a log of the monitored data, the log indicating the selections of the plurality of operations by the user;

communicating means for communicating the log of the monitored data to a remote site.

15. (Three Times Amended) A method of monitoring usage of an interface of a target application, the interface including a plurality of operations to be selected by a user, comprising the steps of:

directly monitoring user selections of the plurality of operations of the interface by the user automatically upon start-up of the target application;

generating a log of the monitored data, the log indicating the selections of the plurality of operations by the user; and

communicating the log of the monitored data to a remote site.

22. (Three Times Amended) A computer program product comprising:

a computer storage medium and a computer program code mechanism embedded in the computer storage medium for causing a computer to monitor a user's usage of an interface of a target application, the interface comprising a plurality of operations to be selected by a user, comprising:

a first computer code device configured to directly monitor user selections of the plurality of operations of the interface by the user automatically upon start-up of the target application, and configured to generate a log of the monitored data, the log indicating the selections of the plurality of operations by the user; and

a second computer code device configured to communicate the log of the monitored data to a remote site.